

P. O. DULIAJAN
DIST. DIBRUGARH
ASSAM, 786 602
TEL : (0374) 2800202, 2800221, 2800582
(0374) 2800556, 2800558
FAX : (0374) 2800557
e-mail : info@assamgas.org
Visit us : www.assamgas.org



CIN OF AGCL : U11101AS1962SGC001184

No:-MTL/PUR/213/ELECT/2020-2021/22

Date:-03/04/2021

Type of bid : LIMITED TENDER
Bidding type : Single Bid
Bid Closing On : 19/04/2021 at 02:00 PM Hrs. (IST)
Bid Opening On :

ASSAM GAS COMPANY LIMITED invites quotation for supply of electrical items as per detail specification and quantity given at Annexure II:

Terms & Conditions for Limited Tender:

1. The bidder must be original manufacturer or authorized dealer/ reseller of electrical items. The bidder has to submit authorization certificate from manufacturer or its area representative with up to date validity.
2. The bidder should quote their rates with maximum discount as per the FORMAT given below. The manufacturers' price list must be enclosed along with bid offer.

Item No./Mat.Code	Material Description	Unit	Rate/Unit (INR)(A)	GST @% (B)	Freight (C)	Amount/ Unit INR (FOR Duliajan) (A)+(B)+(C)=D	Qty (E)	Total Amount (INR)(D) X (E)

3. The TOTAL AMOUNT shall be in figure as well as in words. No overwriting shall be allowed. In case of discrepancy, the rates quoted in words shall be considered to be correct.
4. Sealed envelope containing the bid duly filled in as per above Format on bidder's letter head should reach DGM (Materials)-HOD, Assam Gas Company Limited, Duliajan-786602, Dist. Dibrugarh, (Assam) on or before the bid closing date and time as mentioned above. If the bid closing date happens to be holiday/bandh call then the next working day will be considered as bid closing date. In case next working day is Saturday, the bid closing date shall be Monday.

5. The Sealed envelope containing the bid shall be marked at the top of the envelope with following details:-
 - a. AGCL Tender No.
 - b. Bid closing date.
 - c. Bidder's Name.
 - d. Brief description of supply.


The bid received without mention of above on the envelope shall not be accepted.

6. Bid received vide E-Mail/Fax/Telegram/Telex/Cable/ bid in open condition will not be accepted
7. **Validity:** The bid must be valid for 180 (One Hundred And Eighty) days from the date of opening of the bid.
8. **Delivery:** The delivery of the materials must be completed within 30 (Thirty) days from the date of receipt of the Purchase Order by Email.
9. **EMD:** The bidder has to submit EMD with respect to the total value of supply as in Annexure - I in the form of Bank Draft drawn in favor of Assam Gas Company Limited payable at Duliajan. The EMD will be released on completion of complete delivery and acceptance of materials. The EMD will be forfeited by the company in case party fails to supply the materials. The EMD of unsuccessful bidders shall be refunded after issue of the Purchase Order to the successful bidders.
10. **GUARANTEE/WARRANTY:** Guarantee/Warranty shall stand as per Manufacturer Certificate. Guarantee/Warranty should be survived for 12(Twelve) months from the date of receipt of materials.
11. **Liquidated Damage:** The completion of delivery of the ordered item as mentioned above within the schedule date of completion of delivery shall be deemed to be the essence of the contract. In case of delay in delivery of the materials within the stipulated period, unless such delay is attributable to owner (AGCL) or due to Force Majeure, there will be reduction in contract value @ 0.5% (Point Five Percent) per week for undelivered quantities of materials for each week of delay or part thereof subject to maximum of 5% (five percent) of the total contract value, as liquidated damage. The Liquidated Damage charge shall be recovered from the supplier's bill / invoice.
12. **Payment :** 100% (Hundred Percent) payment shall be made to the supplier within 30 (thirty) days after receipt and acceptance of materials against submission of original invoice in triplicate along with all relevant documents as per P.O. and the NIT.
13. Conditional bids are liable to rejection at the sole discretion of the Company.
14. **Applicability of Law & Jurisdiction:** The Order shall be governed and interpreted in accordance with the applicable laws of India and Dibrugarh Courts in the State of Assam shall have exclusive jurisdiction.

15. The Company reserves the right of rejecting any or all bids accepting any bid in part, without assigning any reason thereof.

Thanking You,

Yours faithfully,



For and on behalf of MANAGING DIRECTOR

ANNEXURE - I
EARNEST MONEY DEPOSIT: (EMD)

Dy. General Manager (Materials)
Assam Gas Company Ltd.
Duliajan, Assam

For Limited Tenders only

EMD to be deposited by the bidder is as follows:

ESTIMATE TOTAL VALUE (Rs.)		EMD (Rs.)
Upto	50,000	Nil
50,001 to	1,00,000	2,000
1,00,001 to	2,00,000	4,000
2,00,001 to	5,00,000	10,000
5,00,001 to	10,00,000	20,000
10,00,001 to	25,00,000 & above	50,000

ANNEXURE - II

Sl No	Item Code	Item Description	Unit	Qty
01	03011288	Wire PVC (Copper) 2.5 Sq.mm, Single core Make :Havells/Polycab/Finolex/Anchor/Vguard/C&S PVC insulated single core unsheathed industrial (Multi-strand) cable, Flame Retardant, Conforming to IS 694:1990 with flexible bright Annealed Electrolytic copper conductor for voltage grade upto 1100 V. Colour: Red (30 Coil), Black (30 Coil), Coil size: 90 meters	MTR	5400
02	03011290	Wire PVC (Copper), 6.0 Sq.mm, Single core Make :Havells/Polycab/Finolex/Anchor/Vguard/C&S PVC insulated single core unsheathed industrial (Multi-strand) cable, Flame Retardant, Conforming to IS 694:1990 with flexible bright Annealed Electrolytic copper conductor for voltage grade	MTR	1440

		upto 1100 V. Colour: Red (8 Coil), Black (8 Coil), Coil size: 90 meters		
03	03011082	PVC Wire 4 sq. mm Single Core Copper Make :Havells/Polycab/Finolex/Anchor/Vguard/C&S PVC insulated single core unsheathed industrial (Multi-strand) cable, Flame Retardant, Conforming to IS 694:1990 with flexible bright Annealed Electrolytic copper conductor for voltage grade upto 1100 V. Colour: Red (15 Coil), Black (15 Coil), Coil size: 90 meters	MTR	2700
04	03156199	CEILING ROSE 3PLATE Make :Anchor/Kolor 2 Plate Ceiling Rose	NOS	1000
05	03091016	MCB 16 Amps, 2 Pole Make :Havells/C&S/Legrand/L&T/Schneider/Anchor MCB 16 Amps 2-Pole, Type: C Curve. Conforming to IS/IEC 60898-1:2002	NOS	50
06	03104679	REGULATOR FOR CEILING FAN Make :Crompton Greeves/Usha Ceiling Fan Regulator (Regular)	NOS	100
07	03100091	Electronic Regulator (Ceiling fan) Make :Anchor/Maru Ceiling Fan Regulator (Mini Rotary step)	NOS	100
08	03052140	SWITCH BOARD 8"X10"(BAKELITE) Make :Presto Plast PVC switch board 8"x10"	NOS	100
09	03167290	CASING CAPING 25MM Make :Presto plast/Richa/Polycab PVC Casing caping beat 25 mm. ISI marked Casing N Caping.	NOS	1000
10	03167513	ELBOW 1 INCH (P/PLAST) Make :Presto plast/Richa/Polycab PVC Casing caping Elbow 25 mm	NOS	500
11	03167574	INTERNAL 1 INCH (P/PLAST) Make :Presto plast/Richa/Polycab PVC Casing caping internal 25 mm	NOS	500
12	03167598	EXTERNAL 1 INCH(P/PLAST) Make :Presto plast/Richa/Polycab PVC Casing caping external 25 mm	NOS	500
13	03167537	TEE 1 INCH (P/PLAST) Make :Presto plast/Richa/Polycab PVC Casing caping tee 25 mm	NOS	500

14	03167689	Joint PVC Casing Caping, 25 mm Make :Presto plast/Richa/Polycab PVC Casing caping joint 25 mm	NOS	500
15	03091028	MCB 16 Amps, Single pole Make :Havells/C&S/Legrand/L&T/Schneider/Anchor MCB 16 Amps single Pole, Type: C Curve. Conforming to IS/IEC 60898-1:2002	NOS	50
16	03011306	PVC service wire (Aluminium), 1.5 Sq.mm 2 core Make :Sikago Or Its Equivalent PVC 1.5 sq mm two core aluminium service wire	MTR	500
17	03011318	PVC Service wire (Aluminium), 2.5 Sq.mm 2 core Make :Sikago Or Its Equivalent PVC 2.5 sq mm two core aluminium service wire, As per IS-694	MTR	500
18	03011320	PVC Service wire (Aluminium), 4.0 Sq.mm 2 core Make :Sikago Or Its Equivalent PVC 4.0 sq mm two core aluminium service wire, As per IS-694	MTR	500
19	03104758	CONDENCER 2.5MFD 400V(USHA) Make :Havell's Capacitor 2.5 mfd	NOS	100
20	03011331	Wire PVC (Copper), 10.0 Sq.mm Single core Make :Havells/Polycab/Finolex/Anchor/Vguard/C&S PVC insulated single core unsheathed industrial (Multi-strand) cable, Flame Retardant, Conforming to IS 694:1990 with flexible bright Annealed Electrolytic copper conductor for voltage grade upto 1100 V. Colour: Red (3 Coil), Black (3 Coil), Coil size: 90 meters	MTR	540
21	03051006	Switch board PVC , 3" x 3" Make :Presto plast PVC switch board 3"x3"	NOS	1000
22	03091004	MCB 20 Amps, 2 Pole Make :Havells/C&S/Legrand/L&T/Schneider/Anchor MCB 20 Amps 2- Pole, Type: C Curve. Conforming to IS/IEC 60898-1:2002	NOS	50